

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO Box 1450 Alexasofan, Virginia 22313-1450 www.repto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/596,976	06/30/2006	Bud T.J. Johnson	1063958	3592	
59154 7590 0M25/20099 OSLER, HOSKIN & HARCOURT LLP (OTHER) 1000 DE LA GAUCHETIERE STREET WEST			EXAM	EXAMINER	
			KERSHTEYN, IGOR		
SUITE 2100 MONTREAL.	QC H3B-4W5		ART UNIT	PAPER NUMBER	
CANADA			3745		
			NOTIFICATION DATE	DELIVERY MODE	
			03/25/2009	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ipmtl@OSLER.COM

Application No. Applicant(s) 10/596,976 JOHNSON, BUD T.J. Office Action Summary Examiner Art Unit laor Kershtevn 3745 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 02 February 2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 9.11-14.18-21 and 23-30 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 9,11-14,18-21 and 23-30 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date. Notice of Draftsperson's Patent Drawing Review (PTO-948)

Information Disclosure Statement(s) (PTO/SB/08)
 Paper No(s)/Mail Date ______.

5) Notice of Informal Patent Application

6) Other:

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 02/02/09 have been fully considered but they are not persuasive.

In the Arguments, Applicant generally states that "It is apparent that when the angle a is between 90 and 120 degrees and the back edge of the outside shell coincides with its maximum diameter, the exterior surface of the outside shell 10, as seen in Fig. 1, creates a diverging airflow at the rear of the outside shell 10. Since the exterior surface of the outside shell 10 of Orlov would be the exterior surface of the encasement assembly of the invention claimed by the Applicant, it is clear that the outside shell 10 does not form an airfoil, so as to provide converging airflow, as is claimed by the Applicant in amended claim 9."

This statement is not agreed with because Orlov et al., as can be clearly seen in figure 2, teach the encasement assembly 10 that does show the above feature, that is the assembly 10 does have the shape of the airfoil with the trailing edge 15 that narrows down to direct airflow to converge towards the trailing edge of shell 4.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3745

Claims 9, 11, 14, 18, 19, 21, 24, 27 and 29 are rejected under 35 U.S.C. 102(b) as being anticipated by Orlov et al. (6,382,904).

In figures 2-4, Orlov et al. teach a fluid turbine, comprising: a rotor and blade assembly 1, including: a rotor (not numbered), the rotor being rotatable about a rotation axis; a plurality of blades (inherently), each of the blades having a tip (inherently), the blade tips defining a blade tip radius with respect to the rotation axis; a fluid displacement head 14 arrangement blocking off at least 50% of the blade tip radius from the rotation axis towards the blade tips, the fluid displacement head arrangement shaped to redirect blocked-off fluid towards the blades extending radially beyond a blocked-off area; and an annular fluid intake scoop and flow through encasement assembly 10 surrounding the rotor and blade assembly, the encasement assembly having an interior surface and an exterior surface (not numbered), the exterior surface of the encasement assembly is shaped to form an airfoil to provide converging airflow for augmenting exhaust from the turbine.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 12, 13, 20, and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Orlov et al. (6,382,904) in view of Karlsson et al. (4,320,304).

Art Unit: 3745

Orlov et al. teach the interior surface of the encasement assembly has an expanding exhaust channel surface 7 rearward of the blades, the fluid displacement head arrangement is, at least in part, spherical.

Orlov et al. don't teach the fluid velocity increasing surface is S-shaped.

Karlsson et al., in figures 6 and 7, teaches a fluid turbine having a rotor 10 having a plurality of blades, a fluid head (not numbered), and an encasement assembly 1,2 the interior surface of the encasement assembly has a fluid velocity increasing surface (not numbered) forward of the blades, the fluid velocity increasing surface being shaped to increase the velocity of fluid entering the turbine, the fluid velocity increasing surface is S-shaped.

Since Orlov et al. and Karlsson et al. are analogous art because they are from the same field of endeavor, that is the fluid turbine art, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the flow through encasement assembly surrounding the rotor and blade assembly of Orlov et al. with the fluid velocity increasing surface that is S-shaped as taught by Karlsson et al. for the purpose of improving the overall efficiency.

Claim 23 rejected under 35 U.S.C. 103(a) as being unpatentable over Orlov et al. (6,382,904) in view of Rabinow (2,973,041).

Orlov et al. teaches all the claimed subject matter except that he doesn't teach the each of the blades has a controllable blade pitch.

Art Unit: 3745

Rabinow, in figures 1-3, teaches a windmill 10 having blades 14, and a fluid displacement head 13, each of the blades 13 has a controllable blade pitch.

Since Orlov et al. and Rabinow are analogous art because they are from the same field of endeavor, that is the fluid turbine art, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the fluid turbine of Orlov et al. with each of the blades having a controllable blade pitch as taught by Rabinow for the purpose of varying the pitch of the blades in accordance with variations in rotational speed.

Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Orlov et al. (6.382,904) in view of Hesh (4.868,408).

Orlov et al. teaches all the claimed subject matter except that he doesn't teach the fluid turbine is a water turbine.

Hesh, in figure 1, teaches a water turbine having a rotor and blade assembly, including: a rotor 30, the rotor being rotatable about a rotation axis; a plurality of blades, each of the blades having a tip, the blade tips defining a blade tip radius with respect to the rotation axis; and a fluid displacement head arrangement but fails to teach the head arrangement blocking off at least 50% of the blade tip radius from the rotation axis towards the blade tips..

Since Orlov et al. and Hesh are analogous art because they are from the same field of endeavor, that is the axial flow turbine art, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to use the

Art Unit: 3745

turbine of Orlov et al. with the water as working fluid as taught by Hwsh for the purpose of creating an energy.

Claims 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Orlov et al. (6,382,904) in view of Francis (4,424,452).

Orlov et al. teaches all the claimed subject matter except that he doesn't teach the blades are in two spaced-apart rows and a plurality of flow stabilizers in between the rows of blades.

In figures 2 and 3, Francis teaches a fluid turbine, comprising: a rotor and blade assembly, including: a rotor 12, the rotor being rotatable about a rotation axis; a plurality of blades 22,23,24, each of the blades having a tip (not numbered), the blade tips defining a blade tip radius with respect to the rotation axis; a fluid displacement head 25 arrangement blocking off at least 50% of the blade tip radius from the rotation axis towards the blade tips, the fluid displacement head arrangement shaped to redirect blocked-off fluid towards the blades extending radially beyond a blocked-off area, the blades 22, 23 are in two spaced-apart rows and a plurality of flow stabilizers 19 in between the rows of blades.

Since Orlov et al. and Francis are analogous art because they are from the same field of endeavor, that is the azial flow turbine art, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the turbine of Orlov et al. with the blades are in two spaced-apart rows and a plurality of

Art Unit: 3745

flow stabilizers in between the rows of blades as taught by Francis for the purpose of improving the overall efficiency of the turbine.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Kershteyn whose telephone number is (571)272-4817. The examiner can be reached on Monday-Friday from 8:00 a.m. to 4:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Look, can be reached on (571)272-4820. The fax number is 571-273-8300

Application/Control Number: 10/596,976 Page 8

Art Unit: 3745

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308 0861.

/Igor Kershteyn/ Primary Examiner, Art Unit 3745